

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29CFR 1910. 1200. Standard must be consulted for specific requirements.

NEVR-DULL MAGIC WADDING POLISH

QUICK IDENTIFIER
Common Name: (used on label and list)

TRADE SECRET (Proprietary)

SECTION 1 -

| | | | |
|--|-----------------------------|-------------------------|--------------|
| Manufacturer's Name | THE GEORGE BASCH CO., INC. | Emergency Telephone No. | 516-378-8100 |
| Address | 19 HANSE AVE - P.O. BOX 188 | Other Information Calls | same |
| City, State, and ZIP | FREEPORT, N.Y. 11520 | Date Prepared | 1-1-2013 |
| Signature of Person Responsible for Preparation (Optional) | | | |

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY

| Hazardous Component(s) (chemical & common name(s)) | OSHA PEL | ACGIH TLV | Other Exposure Limits | % (optional) | CAS NO. |
|--|----------|-----------|-----------------------|--------------|---------|
|--|----------|-----------|-----------------------|--------------|---------|

Mineral Spirits – Petroleum Hydrocarbon

This product is C.A.R.B. , V.O.C. Compliant

SECTION 3 - PHYSICAL & CHEMICAL CHARACTERISTICS

| | | | | | |
|---------------------|--------------------------------|---|---------------|----------------------------|-----|
| Boiling Point | 343 F | Specific Gravity (H ₂ O = 1) | 0.805 @60 F | Vapor Pressure (mm Hg)@20c | 0.6 |
| | | Vapor Density (Air = 1) | 5.8 | | |
| Solubility in Water | Stable under normal conditions | Reactivity in Water | | None | |
| Appearance and Odor | cotton wadding | Impregnated with liquid chemical | Melting Point | NA | |

SECTION 4 - FIRE & EXPLOSION DATA

| | | | | | | | |
|------------------------------------|----------------------------|--------------------|---|-------------------------------------|---------------|-----------|----|
| Flash Point | 145 F. 63 C. | Method Used | Open cup | Flammable Limits in Air % by Volume | LEL Lower 0.9 | UEL Upper | NA |
| Auto-Ignition Temperature | 490 F | Extinguisher Media | Fire Extinguisher- type-Monoammonium Phosphate (class ABC - Dry Chemical) | | | | |
| Special Fire Fighting Procedures | Keep away from open flame- | | | | | | |
| Unusual Fire and Explosion Hazards | None | | | | | | |

SECTION 5 - PHYSICAL HAZARDS (REACTIVITY DATA)

| | | | |
|--------------------------------------|--|---------------------|--|
| Stability | Unstable [] Stable [x] | Conditions to Avoid | Isolate from strong oxidizers, heat and open flame |
| Incompatibility (Materials to Avoid) | Isolate from strong oxidizers such as permanganates, chromates & peroxides | | |
| Hazardous Decomposition Products | Carbon monoxide, Carbon Dioxide from burning | | |
| Hazardous Polymerization | Will Not Occur | | |

SECTION 6 - HEALTH HAZARDS

Eye Contact Slightly irritating but does not injure eye tissue
 Skin Contact Low order of toxicity. Skin contact may irritate or cause an existing dermatitis condition
 Inhalation Low vapor concentrations may cause dizziness, headaches, drowsiness
 Ingestion May cause local irritation, vomiting, respiratory irritation, headache, dizziness, nausea

SECTION 7 – First Aid Measures

Eye Contact Flush eyes with large amounts of water until irritation subsides
 Skin Contact Recommend rubber gloves to use. Wash hands with soap and water
 Inhalation Remove to fresh air. Give artificial respiration if necessary
 Ingestion If swallowed DO NOT induce vomiting. Seek medical attention

SECTION 8 – PRECAUTIONS FOR SAFE HANDLING AND USE

Precautions to be Taken in Handling and Storage Store at room temperature. Keep away from open flames

SECTION 9 – STABILITY AND REACTIVITY

| | | | | | |
|--|--------|---|-----------|----------------------------------|----------------|
| Stability | Stable | Conditions to Avoid Instability | N/A | Hazardous Polymerization | Will Not Occur |
| Conditions to Avoid Hazardous Polymerization | N/A | Materials & Conditions to avoid Incompatibility | Oxidizers | Hazardous Decomposition Products | None |

SECTION 10 – HAZARD RATING SYSTEM

| | NPCA-HMIS Nat'l Paint & Coating Assoc./ Hazardous indent. Systems | NFPA 704 National Fire Protection Association | KEY |
|--------------|--|--|--------------|
| HEALTH | 1 | 0 | 4 = Severe |
| FLAMMABILITY | 2 | 2 | 3 = Serious |
| REACTIVITY | 0 | 0 | 2 = Moderate |
| | | | 1 = Slight |
| | | | 0 = Minimal |