


## 1. Product and Company Identification

**Product Name** OLD ENGLISH® FURNITURE POLISH OIL - ALL SCENTS (AEROSOL)  
**UPC CODES** Refer to Section 16  
**CAS #** Mixture  
**Product use** Polish  
**Manufacturer** Reckitt Benckiser  
 Morris Corporate Center IV  
 399 Interpace Parkway  
 P.O. Box 225  
 Parsippany, NJ 07054-0225  
 In Case of Emergency: 1-800-228-4722  
 Transportation Emergencies: 24 Hour Number:  
 North America: CHEMTREC: 1-800-424-9300  
 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	/ 0
Flammability	3
Physical Hazard	0
Personal Protection	A



## 2. Hazards Identification

### Emergency overview

**CAUTION**  
**CONTENTS UNDER PRESSURE.**  
 Do not puncture or incinerate container.  
**DO NOT** expose to heat or store at temperatures above 120°F (49°C) as the container may burst.  
**MAY CAUSE EYE IRRITATION.**  
 Avoid eye contact.  
**DO NOT** spray on floors as it may leave them slippery.  
  
**KEEP OUT OF REACH OF CHILDREN.**

### Potential short term health effects

**Routes of exposure** Eye, Skin contact, Inhalation, Ingestion.  
**Eyes** May cause eye irritation.  
 Avoid eye contact.  
**Skin** None expected during normal conditions of use.  
 Not expected to be a skin sensitizer.  
**Inhalation** Do not breathe spray. Use only in a well ventilated area.

**NOTE TO PARENTS:** Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit [www.inhalant.org](http://www.inhalant.org).

**Ingestion** Contains petroleum distillates. May be harmful if swallowed.  
**Target organs** Respiratory system.  
**Chronic effects** The finished product is not expected to have chronic health effects.  
**Signs and symptoms** Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

---

### 3. Composition / Information on Ingredients

---

Ingredient(s)	CAS #	Percent
Petroleum gases, liquefied, sweetened	68476-86-8	2.5 - 10
Distillates (petroleum), light hydrotreated	64742-47-8	10 - 20
Siloxanes and Silicones, dimethyl-	63148-62-9	1 - 2.5

---

### 4. First Aid Measures

---

#### First aid procedures

<b>Eye contact</b>	In case of eye contact, IMMEDIATELY flush eyes thoroughly with water, remove any contact lenses and continue to flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation persists.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.
<b>Inhalation</b>	Move to fresh air.
<b>Ingestion</b>	If swallowed, DO NOT induce vomiting, call a Poison Control Centre or physician immediately. NEVER give an unconscious person anything to ingest.

#### Notes to physician

Treat patient symptomatically.  
Contains petroleum distillates.  
Contains hydrocarbon propellant.  
Contains perfume.

#### General advice

Do not puncture or incinerate container. Keep away from sources of ignition. No smoking. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit [www.inhalant.org](http://www.inhalant.org).

---

### 5. Fire Fighting Measures

---

<b>Flammable properties</b>	Aerosol flame extension less than 18 inches (45 cm). Containers may explode when heated.
<b>Extinguishing media</b>	
<b>Suitable extinguishing media</b>	Treat for surrounding material.
<b>Unsuitable extinguishing media</b>	Not available
<b>Protection of firefighters</b>	
<b>Specific hazards arising from the chemical</b>	Contents under pressure. Pressurized container may explode when exposed to heat or flame. Cool containers with flooding quantities of water until well after fire is out.
<b>Protective equipment for firefighters</b>	Firefighters should wear full protective clothing including self contained breathing apparatus.
<b>Hazardous combustion products</b>	May include and are not limited to: Oxides of carbon.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	Not available
<b>Sensitivity to static discharge</b>	Not available

---

### 6. Accidental Release Measures

---

<b>Personal precautions</b>	Ensure adequate ventilation. Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.
<b>Methods for containment</b>	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.

---

**Methods for cleaning up**

Before attempting clean up, refer to hazard data given above. Remove sources of ignition. Although the chance of a significant spill or leak is unlikely in aerosol containers, in the event of such an occurrence, absorb spilled material with a non-flammable absorbent such as sand or vermiculite.

## 7. Handling and Storage

**Handling**

**CAUTION**  
 Contents under pressure.  
 Do not puncture or incinerate container.  
 DO NOT expose to heat or store at temperatures above 120°F (49°C) as the container may burst.  
 Avoid contact with eyes, skin and clothing. Use this product with adequate ventilation.  
 DO NOT spray on floors as it may leave them slippery.  
 When using do not eat or drink.

**Storage**

Keep out of reach of children. Do not store at temperatures above 49 °C (120.2°F).  
 Keep away from heat, open flames or other sources of ignition.

**NOTE TO PARENTS:** Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit [www.inhalant.org](http://www.inhalant.org).

Fires involving flammable aerosols are severe and can spread very quickly. Warehouses and stores containing aerosols should therefore be separated from other areas by a fire resistant construction of at least one half hour duration. Stores should be well ventilated, particularly at low levels. The natural ventilation in a large open warehouse building will normally be suitable. Avoid the storage of aerosols in basements where practicable.

## 8. Exposure Controls / Personal Protection

**Exposure limits****Ingredient(s)****Exposure Limits**

Distillates (petroleum), light hydrotreated

**ACGIH-TLV**  
 Not established  
**OSHA-PEL**  
 Not established

Petroleum gases, liquefied, sweetened

**ACGIH-TLV**  
 Not established  
**OSHA-PEL**  
 Not established

Siloxanes and Silicones, dimethyl-

**ACGIH-TLV**  
 Not established  
**OSHA-PEL**  
 Not established

**Engineering controls**

General ventilation normally adequate.

**Personal protective equipment****Eye / face protection**

If splashes are likely to occur, wear: Wear safety glasses with side shields.  
 When handling in large quantities or responding to emergency situations, the use of appropriate eye protection is recommended.  
 Emergency responders should wear full eye and face protection.

**Hand protection**

No special requirements under normal use conditions.  
 Emergency responders should wear impermeable gloves.

**Skin and body protection**

As required by employer code.  
 Emergency responders should wear impermeable clothing and footwear when responding to a situation where contact with the liquid is possible.

**Respiratory protection**

Not normally required under normal use conditions.  
 Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid inhalation of vapours generated by this product during a spill or other clean-up operations.

**General hygiene considerations** Avoid contact with skin, eyes and clothing.  
Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink.  
Washing with soap and water after use is recommended as good hygienic practice to prevent possible eye irritation from hand contact.

---

## 9. Physical and Chemical Properties

---

<b>Appearance</b>	Spray
<b>Color</b>	Opaque. off-white
<b>Form</b>	Aerosol.
<b>Odor</b>	almond Lemon.
<b>Odor threshold</b>	Not available
<b>Physical state</b>	Gas
<b>pH</b>	7.7 (Basic)
<b>Freezing point</b>	Not available
<b>Pour point</b>	Not available
<b>Boiling point</b>	Not available
<b>Flash point</b>	Not applicable. Aerosol flame extension less than 18 inches (45 cm).
<b>Evaporation rate</b>	Not available
<b>Flammability limits in air, lower, % by volume</b>	Not available
<b>Flammability limits in air, upper, % by volume</b>	Not available
<b>Vapor pressure</b>	Not determined
<b>Vapor density</b>	Not available
<b>Specific gravity</b>	Not available
<b>Octanol/water coefficient</b>	Not available
<b>Solubility (H2O)</b>	Dispersible
<b>Auto-ignition temperature</b>	Not available

---

## 10. Stability and Reactivity

---

<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Conditions to avoid</b>	Do not mix with other chemicals. Heat, open flames, static discharge, sparks and other ignition sources. Protect from sunlight and do not expose to temperatures exceeding 50°C (120°F). Extremes of temperatures can occur in cars and near ovens and fireplaces. Do not place in contact with hot surfaces or near naked flames. Do not spray on a naked flame, onto or near a fire, or any incandescent material such as an electric fire.
<b>Incompatible materials</b>	Acids. Oxidizers.
<b>Hazardous decomposition products</b>	May include and are not limited to: Oxides of carbon.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.

---

## 11. Toxicological Information

---

### Component analysis - LC50

<b>Ingredient(s)</b>	<b>LC50</b>
Distillates (petroleum), light hydrotreated	5.2 mg/l/4h rat
Petroleum gases, liquefied, sweetened	Not available
Siloxanes and Silicones, dimethyl-	Not available

---

**Component analysis - Oral LD50**

<b>Ingredient(s)</b>	<b>LD50</b>
Distillates (petroleum), light hydrotreated	5000 mg/kg rat
Petroleum gases, liquefied, sweetened	Not available
Siloxanes and Silicones, dimethyl-	17000 mg/kg rat

**Effects of acute exposure**

<b>Eye</b>	May cause eye irritation. Avoid eye contact.
<b>Skin</b>	None expected during normal conditions of use. Not expected to be a skin sensitizer.
<b>Inhalation</b>	Do not breathe spray. Use only in a well ventilated area.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit [www.inhalant.org](http://www.inhalant.org).

<b>Ingestion</b>	Contains petroleum distillates. May be harmful if swallowed.
<b>Sensitization</b>	The finished product is not expected to have chronic health effects.
<b>Chronic effects</b>	The finished product is not expected to have chronic health effects.
<b>Carcinogenicity</b>	The finished product is not expected to have chronic health effects.
<b>Mutagenicity</b>	The finished product is not expected to have chronic health effects.
<b>Reproductive effects</b>	The finished product is not expected to have chronic health effects.
<b>Teratogenicity</b>	The finished product is not expected to have chronic health effects.
<b>Synergistic Materials</b>	Not available

---

## 12. Ecological Information

---

<b>Ecotoxicity</b>	See below	
<b>Ecotoxicity - Freshwater Fish Species Data</b>		
Distillates (petroleum), light hydrotreated	64742-47-8	96 Hr LC50 Pimephales promelas: 45 mg/L [flow-through]; 96 Hr LC50 Lepomis macrochirus: 2.2 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 2.4 mg/L [static]
<b>Ecotoxicity - Water Flea Data</b>		
Distillates (petroleum), light hydrotreated	64742-47-8	96 Hr LC50 Den-dronereides heteropoda: 4720 mg/L
<b>Environmental effects</b>	Not available	
<b>Aquatic toxicity</b>	Not available	
<b>Persistence / degradability</b>	Not available	
<b>Bioaccumulation / accumulation</b>	Not available	
<b>Partition coefficient</b>	Not available	
<b>Mobility in environmental media</b>	Not available	
<b>Chemical fate information</b>	Not available	

---

## 13. Disposal Considerations

---

<b>Waste codes</b>	Not available
<b>Disposal instructions</b>	Dispose in accordance with all applicable regulations. Packaging and container to be recycled only if emptied completely. For bulk quantities dispose of in accordance with local, regional or national requirements.
<b>Waste from residues / unused products</b>	Not available
<b>Contaminated packaging</b>	Not available

---

## 14. Transport Information

---

### U.S. Department of Transportation (DOT)

UN1950, Aerosols, 2.1, Re-Classed as Consumer  
Commodity ORM-D.

### Transportation of Dangerous Goods (TDG - Canada)

Consumer Commodity / Limited Quantity

### IMDG (Marine Transport)

UN 1950 - Aerosols, Class 2.1, Limited Quantity.

### IATA/ICAO (Air)

UN 1950 - Aerosols, Flammable, Class/Div. 2.1,  
Limited Quantity or Consumer Commodity, ID 8000 if  
acceptable to airline.

---

## 15. Regulatory Information

---

**US Federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.  
CERCLA/SARA Hazardous Substances - Not applicable.

**Product Registration:** Not registered

### Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

### CERCLA (Superfund) reportable quantity

None

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No  
Delayed Hazard - No  
Fire Hazard - Yes  
Pressure Hazard - No  
Reactivity Hazard - No

**Section 302 extremely hazardous substance** No

**Section 311 hazardous chemical** Yes

**Clean Air Act (CAA)** Not available

**Clean Water Act (CWA)** Not available

**State regulations** This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

### U.S. - New Jersey - Right to Know Hazardous Substance List

Siloxanes and Silicones, dimethyl- 63148-62-9 Sn 2643 (flammable, liquid, toxic, flash point less than 23°C); sn 2642 (flammable, liquid, toxic, flash point between 23°C and 61°C); sn 2644 (liquid, toxic); sn 2645 (solid, toxic)

### Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

---

## 16. Other Information

---

**Disclaimer** This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

**Further information** 62338-77677 - OLD ENGLISH® - Almond - Aero - 12.5 oz. - 0003968  
62338-74035 - OLD ENGLISH® - Lemon - Aero - 12.5 oz. - 0003815

**Issue date** 10-Feb-2010

**Effective date** 01-Feb-2010

**Prepared by** Reckitt Benckiser Regulatory Department 800-333-3899

**Other information** For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.